





Routing



Grooving & Sizing




Profiling & Chamfering



Joining & Rebating



Carving



Corian



Index




Dimar developed the new D Tech line with the vision of bringing industrial wood working technology to the portable router machines.

The most popular profiles were upgraded to the replaceable carbide system. The replaceable carbide is much harder than the carbide for the brazed tool which gives the tool a much longer life time, better cutting quality, easy assembling and no need for resharpening which results in both constant and accurate dimensions.



Flush Trimming Bit



$\varnothing D$	B	Code No.	L	$\varnothing d$
12.7	20	E101 307 5	63.5	8



Can be supplied with 1/4".

Spare Parts



T.C. Blade
#310 151 2
20x9x1.5



Ball Bearing
#191 007 0
1/2" x 3/16"




screw
#193 035 5
M3x4




screw
#193 035 6
M3x8




Sawing



CNC



Cutting




Drilling



Routing

Plastic, Corian, Aluminum




Custom Tooling




Routing




Grooving & Sizing




Profiling & Chamfering



Jointing & Rebating



Carving




Corian



Index

Straight Bit



$\varnothing D$	B	Code No.	L	$\varnothing d$
12	29.5	E107 380 5	66	8

⚠ can be supplied with 1/4" shank.


Spare Parts



T.C. Blade
#310 793 0
29.5x9x1.5



screw
#193 035 5
M3x4




Sawing



CNC

Rebating Bit



$\varnothing D$	B	Code No.	L	$\varnothing d$
28.6	13.25	E114 320 5	51.7	8

⚠ can be supplied with 1/4" shank.

Spare Parts



T.C. Blade
#310 151 3
13.25x9x1.5




Ball Bearing
#191 004 0
9.5x4.7x3




screw
#193 035 5
M3x4



screw
#193 035 6
M3x8




Cutting



Drilling

V G groove Bit



$\varnothing D$	B	a	Code No.	L	$\varnothing d$
17.6	8.5	45°	E105 350 5	53	8

⚠ Can be supplied with 1/4" shank.


Spare Parts



T.C. Blade
#310 121 2
12x12x1.5




screw
#193 035 5
M3x4



Routing



Plastic, Corian, Aluminum



Custom Tooling



Routing



Grooving & Sizing



Profiling & Chamfering



Jointing & Rebating



Carving




Corian



Index

Core Box Bit



$\varnothing D$	B	R	Code No.	L	$\varnothing d$
12.7	13	6.35	E106 350 5	59	8

Can be supplied with 1/4" shank.

Spare Parts




T.C. Blade
#310 650 6
13x9x1.5



Ball Bearing
#191 024 0
16x8x5



screw
#193 035 5
M3x4



Sawing




Template



CNC

Bevel Trimming Bit



$\varnothing D$	B	a	R	Code No.	L	$\varnothing d$
27.3	5.7	45°	3	E109 321 5	60.5	8

Can be supplied with 1/4" shank.

Spare Parts



T.C. Blade
#310 932 3
12x12x1.5




Ball Bearing
#191 007 0
4.7x12.7x5





screw
#193 035 5
M3x4





screw
#193 035 6
M3x8



Cutting




Drilling



Routing



Plastic, Corian, Aluminum



Custom Tooling



Routing



Grooving & Sizing



Profiling & Chamfering



Joining & Rebating




Carving



Corian

Index

0 volo Bit



øD	B	R	Code No.	L	ød
26	15.7	6	E109 325 5	56.7	8

⚠ Can be supplied with 1/4" shank.

Spare Parts



T.C. Blade *
#310 932 6
15.7x9x1.5




Ball Bearing
#191 007 0
4.7x12.7x5



screw
#193 035 5
M3x4



screw
#193 035 6
M3x8




Sawing



CNC

Core Bit



øD	B	R	Code No.	L	ød
26	12.7	6.35	E112 305 5	54.5	8

⚠ Can be supplied with 1/4" shank.

Spare Parts



T.C. Blade
#311 200 6
12.7x9x1.5




Ball Bearing
#191 007 0
4.7x12.7x5




screw
#193 035 5
M3x4



screw
#193 035 6
M3x8




Cutting



Drilling

0 gee Fillet Bit



øD	B	R	Code No.	L	ød
26	15.7	4.5	E138 306 5	56.7	8

⚠ Can be supplied with 1/4" shank.

Spare Parts



T.C. Blade
#313 850 1
15.7x9x1.5





Ball Bearing
#191 007 0
4.7x12.7x5



screw
#193 035 5
M3x4



screw
#193 035 6
M3x8



Routing

Plastic, Corian, Aluminum



Custom Tooling